



Air. BTicino's thin revolution



bticino



Air Thin like no other

Axolute **Air**

- 3.5mm thinness ■
- Efficient lines ■
- Axolute glossy key: white, tech and anthracite ■
- From €17.96* ■

Better value for money than ever before

- 4.5mm thinness
- Curved lines which blend with the wall
- Livinglight satin key: white, tech and anthracite
- From € 7,81*

* Price list June 2014



Livinglight **Air**

How to propose Axolute ^{Air}

Propose AXOLUTE AIR, the new and really thin AXOLUTE range in line with modern design trends.

- It is thin: only 3.5 mm
- It is metal
- It is AXOLUTE
- It can be used with AXOLUTE glossy-finish keys
- It is at a surprising price: from €17.96*



Axolute White



Matt White



Tech



Anthracite

How to propose Livinglight ^{Air}

Propose LIVING LIGHT AIR instead of the usual plastic cover plates

- It is thin: only 4.5 mm
- It is metal
- It is an easy to propose quality solution
- It can be used with LIVINGLIGHT satin-finish keys
- Costs less than you think

PLASTIC COVER PLATES



From €4.01 *

Go to



LIVINGLIGHT AIR COVER PLATES



From €7.81 * **(new price)**


For an average apartment with 50 light points, to change from Livinglight plastic cover plates to Air metal cover plates, costs only an extra €190 list price.

How to install Axolute **Air**

Steps

Item codes

1 Use standard boxes



503E - PB503
(see the catalogue for the box codes in the other modular concepts)

2 Use the AXOLUTE AIR dedicated supports




H4703W - H4704W - HA4706W* - H4726W*


3 Use the AXOLUTE axial controls to keep perfectly flat the light point



1P 16 AX
250 Vac
switches



1P 16 AX
250 Vac
two way
switches



1P (NO)
10 A 250 Vac
pushbuttons



4 Then complete the system with all the functions of the AXOLUTE catalogue



All codes in the catalogue

5 Finish the work by mounting the AXOLUTE AIR cover plates








See following pages for the cover plate range codes

How to install Livinglight **Air**


Steps

Item codes

1	Use standard boxes		503E - PB503 (see the catalogue for the box codes in the other modular concepts)						
2	Use the LIVINGLIGHT AIR dedicated supports		LN4703C - LN4704C - LN4707C - LN4726C						
3	Use the LIVINGLIGHT axial controls to keep perfectly flat the light point		<table border="0"> <tr> <td data-bbox="1218 852 1312 922">1P 16 AX 250 Vac switches</td> <td data-bbox="1341 836 1487 938"> <input type="checkbox"/> N4051A <input type="checkbox"/> NT4051A <input type="checkbox"/> L4051A </td> <td data-bbox="1509 852 1603 938">1P 16 AX 250 Vac two way switches</td> <td data-bbox="1632 836 1778 938"> <input type="checkbox"/> N4053A <input type="checkbox"/> NT4053A <input type="checkbox"/> L4053A </td> <td data-bbox="1800 852 1928 927">1P (NO) 10 A 250 Vac pushbuttons</td> <td data-bbox="1946 836 2085 938"> <input type="checkbox"/> N4055A <input type="checkbox"/> NT4055A <input type="checkbox"/> L4055A </td> </tr> </table>	1P 16 AX 250 Vac switches	<input type="checkbox"/> N4051A <input type="checkbox"/> NT4051A <input type="checkbox"/> L4051A	1P 16 AX 250 Vac two way switches	<input type="checkbox"/> N4053A <input type="checkbox"/> NT4053A <input type="checkbox"/> L4053A	1P (NO) 10 A 250 Vac pushbuttons	<input type="checkbox"/> N4055A <input type="checkbox"/> NT4055A <input type="checkbox"/> L4055A
1P 16 AX 250 Vac switches	<input type="checkbox"/> N4051A <input type="checkbox"/> NT4051A <input type="checkbox"/> L4051A	1P 16 AX 250 Vac two way switches	<input type="checkbox"/> N4053A <input type="checkbox"/> NT4053A <input type="checkbox"/> L4053A	1P (NO) 10 A 250 Vac pushbuttons	<input type="checkbox"/> N4055A <input type="checkbox"/> NT4055A <input type="checkbox"/> L4055A				
4	Then complete the system with all the functions of the LIVINGLIGHT catalogue		All codes in the catalogue						
5	Finish the work by mounting the LIVINGLIGHT AIR cover plates		See following pages for the cover plate range codes						

Axolute **Air**

Range of cover plates



MONOCHROME



AXOLUTE WHITE - HD



TECH - HC



ANTHRACITE - HS

MATT WHITE




MATT WHITE - AW

COVER PLATE THAT CAN BE PAINTED



BEFORE PAINTING THE MATT WHITE - AW COVER PLATE



AFTER PAINTING THE COVER PLATE

SUGGESTIONS FOR USE.

The MATT WHITE cover plate can also be painted.

PAINTING

The matt white paint of the cover plates - AW - can be used as a primer. Before painting with house paint, the surface should be sanded/matted for better adhesion. Resin-rich products (e.g. water-based varnishes) should be used.

Notes

- Do not paint the devices (keys, sockets, etc.)
- Paint the cover plate separately and mount it when it is dry

CLEANING THE COVER PLATE

Water-based detergents should be used. Using ethyl alcohol or other solvents which could damage or soften the paint is not recommended.

Livinglight **Air**

Range of cover plates



MONOCHROME



PURE WHITE - BN



TECH - TE



ANTHRACITE - AR

NEUTRAL



LAVA - NL




PEARL WHITE - PR



MOONLIGHT SILVER - GL

SHINY



PEWTER - PT



PALLADIUM - PL



SATIN GOLD - OF



SATIN NICKEL - NK


DECORATIONS



RAMAGE - RM



GREEK - GK



NET - NE


















STRIPES - SP

Axolute **Air**

Code selection table















Cover plate modules	2	3	4	6	3+3
Plasterboard or flush mounted box	 503E	 503E	 504E	 506L	 506E
Support	 H4703W	 H4703W**	 H4704W	 H4706W*	 H4726W*
Light point					

MONOCHROME					
AXOLUTE White	HW4819HD	HW4803HD	HW4804HD	HW4806HD*	HW4826HDN*
Tech	HW4819HC	HW4803HC	HW4804HC	HW4806HC*	HW4826HCN*
Anthracite	HW4819HS	HW4803HS	HW4804HS	HW4806HS*	HW4826HSN*
MATT WHITE					
Matt White	HW4819AW	HW4803AW	HW4804AW	HW4806AW*	HW4826AWN*

* Availability during 2015. For information please contact the BTicino sales technicians
Note: Contact the BTicino sales technicians for the installation of MyHome 3.5 screen and Videodisplay
 ** Backing with knock-outs: to be removed if 3 modules are installed.
Note: Use the tool with suction cups item H4892KY to remove the installed cover plates

Livinglight ^{Air}

Code selection table

Cover plate modules	3	4	7	3+3
Plasterboard or flush mounted box	 503E	 504E	 506L	 506E
Support	 LN4703C	 LN4704C	 LN4707C	 LN4726C
Light point				
MONOCHROME				
Pure white	LNC4803BN	LNC4804BN	LNC4807BN	LNC4826BN
Tech	LNC4803TE	LNC4804TE	LNC4807TE	LNC4826TE
Anthracite	LNC4803AR	LNC4804AR	LNC4807AR	LNC4826AR
NEUTRAL				
Lava	LNC4803NL	LNC4804NL	LNC4807NL	LNC4826NL
Pearl white	LNC4803PR	LNC4804PR	LNC4807PR	LNC4826PR
Moonlight silver	LNC4803GL	LNC4804GL	LNC4807GL	LNC4826GL
SHINY				
Pewter	LNC4803PT	LNC4804PT	LNC4807PT	LNC4826PT
Palladium	LNC4803PL	LNC4804PL	LNC4807PL	LNC4826PL
Satin gold	LNC4803OF	LNC4804OF	LNC4807OF	LNC4826OF
Satin nickel	LNC4803NK	LNC4804NK	LNC4807NK	LNC4826NK
DECORATIONS				
Ramage	LNC4803RM	LNC4804RM	LNC4807RM	LNC4826RM
Greek	LNC4803GK	LNC4804GK	LNC4807GK	LNC4826GK
Net	LNC4803NE	LNC4804NE	LNC4807NE	LNC4826NE
Stripes	LNC4803SP	LNC4804SP	LNC4807SP	LNC4826SP




A rich range of solutions to satisfy the requirements

Consult the AXOLUTE and LIVINGLIGHT catalogues to discover all the available functions.


Axolute **Air**



2-module axial control



MyHOME controls



MyHOME Screen 3,5"



UNIVERSAL COVER.

For all protected installations, even outdoors, use the new IP44 universal cover. Just one item for all residential series that can be installed on 503E box.

Item code **26603**.

of your customer.



HDMI and USB connectors



8-key MyHOME control and digital thermostat



Videodisplay

Livinglight **Air**



TOOL CASE FOR AIR COVER PLATES.

THE new AIR tool case is available,
with all the AXOLUTE AIR and LIVINGLIGHT AIR finishes.

Item code **AIRVAL14.**

bticino



www.air.bticino.it